

GUJARAT TECHNOLOGICAL UNIVERSITY**BE - SEMESTER-III • EXAMINATION – SUMMER • 2014****Subject Code: 133401****Date: 23-05-2014****Subject Name: Thermodynamics and Thermal Engineering****Time: 02.30 pm - 05.00 pm****Total Marks: 70****Instructions:**

1. Attempt all questions.
2. Make suitable assumptions wherever necessary.
3. Figures to the right indicate full marks.

- Q.1 (a)** Define thermodynamics and its related basic terminologies such as system, surrounding, state, process and also explain scope of thermodynamics. **07**
- (b)** State the first law for a closed system undergoing a cycle. **07**
- Q.2 (a)** Write the steady flow energy equation for a single stream entering and a single stream leaving a control volume and explain the various terms in it. **07**
- (b)** Give the Kelvin Planck & clausius statement of the second law. **07**
- OR**
- (b)** 1.5 kg of liquid having a constant specific heat of 2.5 kJ/kg K is stirred in a well insulated chamber causing the temperature to rise by 15° C. Find ΔE and W for the process. **07**
- Q.3 (a)** Explain in detail Diesel cycle with neat sketch. **07**
- (b)** In an air standard diesel cycle, the compression ratio is 16, and at the beginning of isentropic compression, the temperature is 15° C and the pressure is 0.1 MPa. Heat is added until the temperature at the end of the constant pressure process is 1480° C. Calculate: (a) The cut-off ratio (b) the heat supplied per kg of air, (c) the cycle efficiency. **07**
- OR**
- Q.3 (a)** How does Brayton cycle compare with Rankine cycle? **07**
- (b)** Explain the PVT behavior of pure substance with the help of PT & PV diagrams. **07**
- Q.4 (a)** Explain the principal of psychometric and refrigeration and air condition. **07**
- (b)** What is an absorption refrigeration cycle? How does it differ from Vapour compression cycle? **07**
- OR**
- Q.4 (a)** Derive the expression for the maximum COP of an absorption refrigeration system. **07**
- (b)** Explain the vapour compression refrigeration cycle with neat diagram. **07**
- Q.5 (a)** A composite wall is made up of two slabs with outermost surface temperatures maintained at (T1) 1300°C and (T3) 115°C. The first slab has a thickness of 500 mm (L1) and thermal conductivity (K1) of 1.4W/m K and the thickness and the thermal conductivity (K2) of the second slab are 161 mm (L2) and 0.35 W/m K, respectively. Calculate the conduction heat transfer through this composite wall per square meter and the temperature of the surfaces in contact. **07**
- (b)** Explain the basic of convective heat transfer and equation with help of a neat diagram. **07**
- OR**
- Q.5 (a)** Explain the basic of radiation mode of heat transfer with help of a neat diagram. **07**
- (b)** A cyclic heat engine operates between a source temperature of 800° C and a sink temperature of 30° C. What is the least rate of heat rejection per kW net output of the engine? **07**
