

GUJARAT TECHNOLOGICAL UNIVERSITY
B. E. - SEMESTER – IV • EXAMINATION – WINTER 2012

Subject code: 140603**Date: 29/12/2012****Subject Name: Structural Analysis - II****Time: 02.30 pm - 05.00 pm****Total Marks: 70****Instructions:**

1. Attempt any five questions.
2. Make suitable assumptions wherever necessary.
3. Figures to the right indicate full marks.
4. Draw neat and clean sketches, wherever required.

Q.1 (a) Analyze the frame as shown in fig. 1, by using moment distribution method and draw bending moment diagram. **10**

(b) Briefly explain various losses in prestress. **04**

Q.2 (a) Using slope deflection method analyzes the beam as shown in fig. 2. Draw SFD and BMD both. **07**

(b) Define the following terms. **07**

Carry over factor, stiffness and distribution factor

OR

(b) A pre-tensioned beam of size 100 mm x 300 mm is prestressed by a straight cables having an initial force of 200 kN, at an eccentricity of 60 mm. $E_s = 210 \text{ kN/mm}^2$ and $E_c = 35 \text{ kN/mm}^2$. Calculate the percentage of prestress in steel due to elastic shortening of concrete if area of steel wires is 188 mm^2 . **07**

Q.3 (a) Analyze the fixed beam shown in fig. 3 and draw bending moment diagram only. **07**

(b) Using consistent deformation method determines all reaction components of beam as shown in fig. 4 and plot SFD and BMD. **07**

OR

Q.3 (a) Analyze the fixed beam shown in fig. 5 and draw bending moment diagram only. **07**

(b) Using consistent deformation method determines all reaction components of beam as shown in fig. 6 and plot SFD and BMD. **07**

Q.4 (a) Analyze the continuous beam as shown in fig. 7 by Kani's Method and draw bending moment diagram only. **07**

(b) Draw the ILD for moment at B in the continuous beam as shown in fig. 8. Calculate the ordinates at 2 m intervals, assuming EI is constant throughout. **07**

OR

Q.4 (a) Analyze the continuous beam as shown in fig. 9 by Kani's Method and draw bending moment diagram only. **07**

Q.4 (b) Draw the ILD for shear force at D in the continuous beam as shown in fig. 10. Calculate the ordinates at 1 m intervals, assuming EI is constant throughout. **07**

Q.5 (a) Determine horizontal deflection at point D for the frame as shown in fig. 11. Adopt $I = 2 \times 10^8 \text{ mm}^4$ and $E = 2 \times 10^5 \text{ MPa}$. **07**

(b) Analyze the frame by using slope deflection method for fig. 12. Draw bending moment diagram also. **07**

OR

Q.5 (a) Determine the deflection at point C of an overhanging beam as shown in fig. 13. Adopt $E = 2 \times 10^5 \text{ N/mm}^2$ and $I = 2 \times 10^8 \text{ mm}^4$. **07**

(b) The bent ABC is shown in fig. 14. Analyze using slope deflection method and plot bending moment diagram only. **07**




Fig. 1 (Q.1 (a))




Fig. 2 (Q.2 (a))




Fig. 3 (Q.3 (a))




Fig. 4 (Q.3 (b))




Fig. 5 (OR Q.3 (a))




Fig. 6 (OR Q.3 (b))




Fig. 7 (Q.4 (a))




Fig. 8 (Q.4 (b))




Fig. 9 (OR Q-4 (a))




Fig. 10 (OR Q-4 (b))




Fig. 11 (Q-5 (a))




Fig. 12 (Q-5 (b))




Fig. 13 (OR Q-5 (a))




Fig. 14 (OR Q-5 (b))

~~~~~ X ~~~~~ X ~~~~~